

Scanstrut Horizontal Entry Cable Seal – now compatible with Starlink!

-  100% watertight
-  Ultra strong & impact resistant
-  No messy sealant on bungs
-  Easy fit cable routing
-  UV stable & hard wearing
-  Split Bung

Designed for a range of Starlink®, NMEA and RJ45 cable and connector diameters, the DS-HSL-01 Horizontal Cable Seal provides a clean, reliable cable routing solution for rooftop installations.

The supplied split pre-drilled bungs allow cables with connectors already attached to pass through the seal, removing the need to cut and re-terminate connectors during installation. Multiple bung sizes and a self-drill option allow installers to easily customise the fit while maintaining a watertight seal.

Based on our most popular horizontal cable seal design, the low-profile construction is impact-resistant and offers additional protection against water ingress. The horizontal cable entry keeps the cable exit as close as possible to the mounting surface, creating a neat, professional installation.

Suitable for cables ranging from 2-8 mm (0.07"-0.31"), the DS-HSL-01 is ideal not only for Starlink installations but also for solar panels, light bars, lighting and other rooftop electronics.



SCANSTRUT

Compatible with
STARLINK

Easy Installation

Captive nuts ensure a fast and reliable installation while allowing repeat fitting if required. The easy-fit cable routing system helps reduce installation time and delivers a clean, professional finish.



Split Bungs

The split-bung makes installation even easier and faster, as it does not require the connectors to be removed, or cables to be cut during installation. Also included is a blank bung – which can be used to replace during winterization.

Marine Grade Materials


Manufactured from premium UV stable, hard-wearing materials, the DS-HSL-01 is built for long-term outdoor performance. Rated IP68, it delivers a guaranteed 100% watertight seal in demanding marine and outdoor environments.

Horizontal Cable Seals • Compatible with STARLINK®
DS-HSL-01 | DS-HSL-01-BLK



STARLINK® Compatibility	
Performance (Gen 3)	✓
Enterprise (Gen 3)	✓
Standard (Gen 3)	✓
Mini	✓
Mini X	✓

Other Connector Compatibility	
RJ45	✓
NMEA	✓
USB-A	✓
USB-C	✓
5.5DC Jack Plug	✓



SCANSTRUT

SCANSTRUT

DS-HSL-01 / DS-HSL-01-BLK Installation Instructions

RETAL-RNST-008530

Compatible with
STARLINK

1 Choose the correct bung for your Starlink's cable

DE - Wählen Sie den richtigen Stöpsel für das Kabel Ihres Starlink
IT - Scegliete il tappo corretto per il cavo del vostro Starlink



ES - Elige el tapón adecuado para el cable de tu Starlink
FR - Choisissez la bonde appropriée pour le câble de votre Starlink



2 25mm (1")

4 Suggested pilot holes:

Material	No. 6 Screw
Soft Material eg plywood	25mm (3/32")
Hard Material eg fiberglass, acrylic, hardwoods	3mm (1/8")



EN
When routing cables, the waterproof Scanstrut cable seal range ensures a clean and secure installation every time. Compatible with Starlink Performance (Gen 3), Enterprise (Gen 3), Standard (Gen 3) & Mini.

IT
Quando si instradano i cavi all'appello, la gamma di sigilli cavi impermeabili Scanstrut rappresenta una soluzione in grado di garantire sempre un'installazione precisa e sicura. Compatibile con Starlink Performance (Gen 3), Enterprise (Gen 3), Standard (Gen 3) & Mini. Impermeabilità IP68 | Facile da installare, non richiede la rimozione del connettore del cavo | Plastica ad alta resistenza

FR
Lors de l'installation de câbles à l'extérieur, la gamme de joints de câbles étanches Scanstrut offre une solution pour assurer une installation propre et sûre à chaque fois. Compatible avec Starlink Performance (Gen 3), Enterprise (Gen 3), Standard (Gen 3) & Mini. Étanchéité IP68 | Installation facile sans démontage du connecteur de câble | Plastique résistant à l'usure

ES
La gama de protectores de cables Scanstrut, resistente al agua, ofrece soluciones para el tendido de cables en exteriores que garantizan siempre una instalación limpia y segura. Compatible con Starlink Performance (Gen 3), Enterprise (Gen 3), Standard (Gen 3) & Mini. Impermeables según IP68 | Instalación sencilla sin quitar el conector del cable | Plástico de alta resistencia

DE
Für Fälle, in denen Kabel im Freien geführt werden müssen, bietet die Produktreihe der Kabeldichtungen von Scanstrut für jeden Einsatz eine Lösung für eine saubere und sichere Verlegung. Kompatibel mit Starlink Performance (Gen 3), Enterprise (Gen 3), Standard (Gen 3) & Mini. Wasserdicht gemäß IP68 | Einfache Verlegung ohne Entfernung des Kabelsteckers | Verschleißfester Kunststoff

Compatible with:

- Mini
- Enterprise (Gen 3)
- Standard (Gen 3)
- Performance (Gen 3)