

DS-H-MULTI-BLK Double Multi Horizontal Cable Seal


The DS-H-MULTI-BLK, taking our much-loved multi-cable seal to the next level. The multi-horizontal cable seal was designed to open new multi-cable routing options. Our seal helps you achieve an ultra-clean, easy-to-fit, and 100% watertight installation of large electronics, solar and light cables.





- Designed for installation of large electronics, solar and light cables
- 100% waterproof- IP68
- Designed to fit one to four cables of varying sizes
- Self-drill, easy installation that cuts down your installation time through wood, metal and GPR
- Long-life marine-grade glass-filled Nylon
- Rigorously tested to be UV stable and hard-wearing
- No messy sealant on the bung
- A low-profile construction with a height of 35.8mm (1.40")
- Designed to have a compact footprint of 114.8mm (4.51") width by 97.6mm (3.84") length
- Captive nuts make for easy assembly and reliable repeat installation





Our testing standard at Scanstrut is encapsulated by the acronym SCA, which stands for Safe, Certified, and Approved.

With over 35 years of experience and expertise in designing products for outdoor use, we design our products to be able to thrive in the harshest of outdoor environments.






SCANSTRUT®

Parts List			
			
Front x1	Base x1	Cover x1	
			
Bung x1	Gasket x1	No.6 x 19 Self Tapping x4	M5 x 12 Pan Head Pozi x3

Tools Required		
		
Ø2.5mm (3/32") Ø3mm (1/8") Ø4mm (5/32") Drill Bit	Ø44mm (1 3/4") Hole Saw/ Drill Bit	Deburrer (Recommended)
		
Pozi PZ2 Screwdriver	Silicone	Jig Saw

①


Tape down cutting template and drill 6 pilot holes.




Material	Drill	Fixing
Soft Material e.g. plywood	2.5mm (3/32")	No.6 Screw (included)
Hard Material e.g. fiberglass, hardwoods, acrylics	3mm (1/8")	
Metal e.g. Steel, aluminium	4mm (5/32")	<u>Recommended</u> >12mm x M4 Countersunk Bolt with washer and Nyloc (Not included)

④

Tip : Drill on scrap material.
Freeze bung before drilling.



②



Ø44mm (1 3/4")

③

