

DS-HD10-Grey Double Horizontal Cable Seal

The DS-HD10-Grey double horizontal cable seal was designed to eliminate time-consuming and sub-standard routing of roof top lights and electronics. Our seal helps you achieve a sleek, easy-to-fit, and 100% watertight installation every time.

Perfect for routing two cables externally to internally on the roof of boats. Its low-profile design provides the best water ingress protection in class.



Designed for two cables.

- IP68 watertight seal.

Install 2 cables – select any combination:

6mm x 2

7mm x 2

8mm x 2

9mm x 2

10mm x 2

Blank x 2

- Compact footprint – just 66.5mm (2.61") W / 75.1mm (2.95") L / 28.5 mm (1.12") H.

- Easy fit cable routing that cuts down your installation time through wood, metal, and GRP.


- Grey & Black high impact plastic.


- Includes 316 stainless steel fixings and a waterproof 3M gasket.

- The low-profile construction is impact-resistant and provides extra protection from water.

- Our materials have been selected to be UV- stable and hard-wearing.


- No messy sealant on bungs.



Part List	
	Shell x1
	Base x1
	Gasket x1
	M5X 10 Bolt - (Black) x1
	No. 6 X16 Self tapping screw x4
	2x Blank 2x 6mm 2x 7mm 2x 8mm 2x 9mm 2x 10mm Bungs x6

Tools Required	
	Pozi Screwdriver
	Silicone
	ø2.5mm (3/32") ø3mm (1/8") Drill Bit
	ø32mm (1-1/4") Hole Saw/Drill Bit

①



Choose bung closest to cable ø.


DE - Wähle Dichtung nahe dem Kabel ø.

IT - Scegliere il passafili adatto al ø del cavo.


ES - Elija el tapón con el diámetro más parecido al cable.

FR - Choisissez le joint le plus proche du diamètre du câble.

②



Material	Drill	Fixing
Soft Material e.g. plywood	2.5mm (3/32")	No.6 Screw (Included)
Hard Material e.g. fiberglass, hardwoods, acrylics	3mm (1/8")	
Metal e.g. Steel, aluminium	3mm (1/8")	<u>Recommended</u> >12mm x M3 Countersunk Bolt with washer and Nylloc (Not included)





32mm
(1-1/4")

4
Deburr

5

6

SCANSTRUT



SCANSTRUT