

# THUNDER

## THANK YOU FOR CHOOSING THE DRIVERLESS LED HEADLIGHT REPLACEMENT KIT

For your personal safety read, understand  
and follow the information provided in this  
instruction manual.

**FOR OFF ROAD USE ONLY**



*Connection to your Weekend Escape*

# SPECIFICATIONS

OPERATING VOLTAGE	12/24 Volts
LUMENS PER SET	4,500 lumens (up to 9,000 for H4 models only)
IP RATING	IP65
COLOUR TEMPERATURE	6,500K
HEAT SINK	Aviation aluminium 6063
OPERATING LIFE	>3,000 hours
OPERATING TEMPERATURE	-40°C to +80°C

**FOR OFF ROAD USE ONLY**

# WARRANTY TERMS AND CONDITIONS

When you acquire or fit a Thunder product you have the peace of mind in knowing that it is backed by a comprehensive 3 years warranty against defects in materials and workmanship. The Thunder warranty is provided in addition to any rights you may have under the Australian Consumer Law.


All claims under this warranty should be made by returning the product to the place of purchase at your expense, with the detail of the fault, proof of purchase and fitment details. If we determine that a Thunder product is defective in materials or workmanship during the warranty period, we will either repair or replace the unit.

This warranty does not apply to failure or damage to a Thunder product caused by incorrect or faulty fitment, accidental or intentional damage, failure of other products, incorrect application, incorrect voltage, environmental damage, operation of the product outside of its environmental and technical specifications, or repair or modification carried out by anyone other than an authorised repairer.


Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

The logo for THUNDER, featuring the word "THUNDER" in a bold, italicized, sans-serif font with a metallic, 3D effect and a horizontal line through the middle of the letters.


# GLOBE INSTALLATION




Remove body of globe from mounting face by pulling back once arrows line up.




Install mounting face into vehicles globe holder as per normal fitment.




Insert globe body into mounting face and rotate globe to desired position.



Plug vehicles harness into globe.



For best results try and rotate LED globe to like the above image.



Please keep the LED chip symmetry and hood upwards as the photo show. If light pattern is not good, please rotate the body by tool.

\*Diagram applicable to H4 models only

# THUNDER

*Connection to your Weekend Escape*

GPC Asia Pacific Pty Ltd  
ABN 97 097 993 283

51-57 Qantas Drive  
Brisbane Airport QLD 4008  
AUSTRALIA

[thunderauto.com.au](http://thunderauto.com.au) // [thunderauto.co.nz](http://thunderauto.co.nz)

