

# REFRIGERATORS

**Thetford refrigerators have been designed to meet the heavy demands of the Australian market.**

Our refrigerators are extensively tested to high quality standards, and are AGA-approved. Plus, Thetford refrigerators come with a full three year warranty. Rest assured that a Thetford refrigerator will deliver high performance and reliability.

## Advantages

- ✔ Superior Quality
- ✔ First class cooling performance
- ✔ Maximum use of space
- ✔ Australian Standards compliant, AGA approved
- ✔ Outstanding customer service
- ✔ Extensive service network
- ✔ **Thetford offers a standard 3 year warranty on all products.**

The Thetford Refrigerator range consists of two types of refrigerators:

- Compressor refrigerators
- Absorption refrigerators



# COMPRESSOR REFRIGERATORS

Compressor refrigerators are well-known because of their high performance. Thetford Compressor fridges are optimised for 12V power only, which means no ULP gas bottles are required.

Our compressor fridges give you the following benefits:

- ✔ Cools down quickly
- ✔ Good performance at high ambient temperatures
- ✔ No vents in the vehicle's outside wall required, since the refrigerator has internal ventilation
- ✔ Night mode reduces noise and power consumption

The compressor refrigerators work on 12 Volt only. To have long off grid functionality it is advised to look at power options with additional batteries and solar panels on your vehicle.



# ABSORPTION REFRIGERATORS

Thetford absorption refrigerators are silent, since this system has no moving parts in the cooling unit. Making the absorption range of fridges ideal for smaller spaces like an RV. Absorption refrigerators use a 3-way power source, which means the fridge can operate on three different power sources:

- ✔ ULP gas
- ✔ 12 Volt (DC)
- ✔ 240 Volt (AC)

A 3-way absorption refrigerator is ideal when you are off-grid for an extended period of time.



## IMPRESSIVE PERFORMANCE ON 12V

Thetford's compressor fridges offer very powerful, but efficient cooling on only 12V. The unique venting system increases the cooling performance thanks to the separation of hot and cold air.

The ventilation is integrated which means that external vents are not required: meaning no dust gets into your van. From the new compact 105 Litre to the large 274 Litre option: Thetford offers you only the best.

The new T2175 is the latest addition to the Thetford compressor range. This large 175 Litre compressor fridge stands out because of its residential styling and size. With bottom ventilation for improved refrigerator performance and the split thermostat makes it possible to adjust the fresh food and frozen food compartment temperature individually.

All Thetford compressor fridges come with a Day and Night mode, making them a powerful, quiet and energy efficient option for every RV.



PRODUCT DETAILS	DE105	T2152	T2175	T1274
Item Number	692565	692553	692562	692543
Dimensions incl. depth door (H x W x D)	763 x 523 x 566 mm*	1512 x 441 x 570 mm*	1256 x 544 x 613 mm*	1534 x 614 x 684 mm*
Enclosure Cut Out Dimension (H x W x D)	765 x 527 x 511mm	1504 x 420 x 527mm	1249 x 527 x 551mm	1523 X 595 x 610 mm
Recommended built-in depth	525 mm	527 mm	551 mm	610 mm
Total volume	105 L	150 L	174 L	274 L
Volume fresh food compartment	90 L	133 L	140.5 L	202 L
Volume frozen food compartment	15 L	17 L	33.5 L	72 L
Colour	Black	Black	Black	Black
Usable power source	12V / 24V DC	12V DC	12V DC	12V DC
Display	N/A	Capactive Touch	Capactive Touch	LED
Door shape	Flat - Framed	Flat - Framed	Flat - Frameless	Flat - Frameless
Door type hinging	Right (reversible)	Right (reversible)	Right (reversible)	Right (reversible)
Size door panel - 2 mm thickness (h x w)	882 x 394 mm	1396 x 394 mm	N/A	N/A
Door panel included	Yes	Yes	Yes	N/A
Energy Consumption - Day mode	0.2 kWh/24h (16 °C) 0.7 kWh/24h (32 °C)	0.3 kWh/24h (16 °C) 0.7 kWh/24h (32 °C)	0.63 kWh/24h (16 °C) 1.337 kWh/24h (32 °C)	0.54 kWh/24h (16 °C) 1.337 kWh/24h (32 °C)
Energy Consumption - Night mode	0.2 kWh/24h (16 °C) 0.5 kWh/24h (32 °C)	0.2 kWh/24h (16 °C) 0.7 kWh/24h (32 °C)	0.461 kWh/24h (16 °C) 1.195 kWh/24h (32 °C)	0.461 kWh/24h (16 °C) 1.195 kWh/24h (32 °C)
Net. weight	32.5 Kg	38 Kg	42.3Kg	57 Kg

## PERFECT FOR AUSSIE CONDITIONS

Thetford absorption fridges have been developed to meet the heavy demands of the Australian market.

Designed specifically for Recreational Vehicles, these European and American built units have the style, reliability and cooling performance that RVers love.

Thetford absorption fridges come with automatic energy source selection, which automatically picks up the best available energy source.

Next to that, all our fridges are equipped with external fans to boost the cooling performance even more.



N4141



N4175-A

PRODUCT DETAILS	N4141-A	N4175-A
Item Number	692620SP	692612SP (LH) 692613SP (RH)
Dimensions incl. depth door (h x w x d)	1510 x 439 x 561 mm*	1250 x 546 x 628 mm
Enclosure cut-out dimensions (h x w x d)	1504 x 424 x 540 mm	1245 x 532 x 585 mm
Total gross volume	138 L	169 L
Gross volume fresh food compartment	123 L	138 L
Gross volume frozen food compartment	15 L	31 L
Colour	Black	Black
Energy Source Selection	Automatic	Automatic
Usable power source	DC / AC / Gas	DC / AC / Gas
Display	LCD (touch screen)	LCD (touch screen)
Ignition	Electric	Electric
Door shape	Flat - Framed	Curved- Framed
Door type hinging	Right (reversible)	Left or Right
Size door panel - 2 mm thickness (h x w)	950 x 394 mm (cabinet) 453 x 394 mm (drawer)	275 x 469mm (frozen food) 876 x 469mm (cabinet)
Door panel included	Yes	Yes
Net. weight	39.3 Kg	45kg
Total fans	3 (2 external fans, 1 internal fan)	3 (2 external, 1 internal)

A-models - LCD display  
with touch screen



E-models - LED display



## Advantages

- ✔ Work on Gas, 240V and 12V (3-way)
- ✔ Quiet as a whisper
- ✔ With automatic energy source selection
- ✔ Built in the Netherlands and USA
- ✔ Standard 3 year warranty



PRODUCT DETAILS	N314-E	N514-E	N614-E
Item Number	N314E.3FR	N514E.3FR	N614E.3FL (LH) N614E.3FR (RH)
Dimensions incl. depth door (h x w x d)	770 x 556 x 582 mm	1090 x 625 x 640 mm	1454 x 624 x 645 mm
Enclosure cut-out dimensions (h x w x d)	756 x 521 x 543 mm	1083 x 602 x 610 mm	1415 x 607 x 620 mm
Total gross volume	91 L	169 L	182 L
Gross volume fresh food compartment	81 L	148 L	129 L
Gross volume frozen food compartment	10 L	21 L	53 L
Colour	Black	Black	Black
Energy Source Selection	Automatic	Automatic	Automatic
Usable power source	DC / AC / Gas	DC / AC / Gas	DC / AC / Gas
Display	LED	LED	LED
Ignition	Electric	Electric	Electric
Door shape	Flat	Flat	Flat
Door type hinging	Right (reversible)	Right (reversible)	Left or Right
Size door panel - 2 mm thickness (h x w)	659 x 511 mm	939 x 541 mm	369 x 548 mm (frozen food) 803 x 548 mm (cabinet)
Door panel included	No	No	No
Net. weight	28 Kg	40 Kg	52 Kg
Total fans	1 (external fan)	1 (external fan)	1 (external fan)